

FUSSEN




Imaging Plate Scanner

Comfortable, Fixable, Easy to use



Support Normal printer

Support digital format: Dicom, Dicomdir, BMP and JPG , send by Email or Whatsapp



Compare with RVG Sensor

F200 is more Fixable, more Comfortable, more stabilized
Long work life Could use more than 8-10 years





Flexible Multifunctional Imaging Plate

4 different sizes for all the application | Thickness at 0.1mm | Extra-fixable up to be bent 300 degrees | Economic: Up to 2000 times

0
A2WLMU

22×31mm

1
A2WLMU

24×40mm

2
A2WLMU

31×41mm

3
A2WLMU

27×54mm





Best Imaging quality in the world.
Support DC X-ray and AC X-ray



Reliable product the world's No.1 product quality.
The world's first PSP with 5-years warranty



Easy to use,friendly operation

Fast speed : 7 seconds scan time


Simple operation and rich functions

help doctors make good clinical judgments



Highly Self-Adaptive, Multiport Synchronizing & Unlimited Connection

Multiple-PC supporting, Imagine Synchronize to phone terminal port



Operation process




1 Place the Imaging Plate in the correct position in the patient's mouth and shoot with the X-ray unit



2 Take the imaging plate out of the sleeve

With a true resolution of up to 25um, it can clearly distinguish images of periodontal ligament, trabecular bone and pulp cavity, helping doctors to easily diagnose and treat clinically





ve cover



3 Put the Imaging plate in the machine for reading

Fussen is committed to providing integrated digital solutions all over world



Technical Parameters **Imaging Plate Scanner**

Supported Photophor Size Size 0: 22×31mm, Size 1: 24×40mm, Size 2: 31×41mm, Size3: 27×54mm	Theoretical Pixel Size 25µm
USB Interface USB2.0, USB3.0	Photophor Records Automatic Clearing
Theoretical Gray Scale 16bit	Theoretical Resolution 20Lp/mm
Power Supply 100-240V(AC),50/60Hz,1.5A	Size (H*W*D) 260×167×325mm
Software DICOM3.0, Multi-frequency Image Processing System	Weight 5.2kg
Operating System Windows XP, Windows 7, Windows 8 , Windows 10	



CareDes Sdn. Bhd. 814703-T

MDA Licence No.: MDA-2030-WDP121

Address : No. 10, Jalan TP 3/1, Taman Perindustrian Sime UEP, 47620 Subang Jaya, Selangor.
Telephone: +60 3 8024 3575
Fax : +60 3 5879 7038
Website : www.caredes.com
Email : info@caredes.com

Fussen Technology Co.,Ltd

📍 1F,3#Building ,Tongfuyu Industrial Zone, Taoyuan Street,Nanshan District, Shenzhen,China

☎ Tel:+86 755 2167 0890 - 813

🌐 Website: www.fussengroup.com

✉ Email:sales@fussenct.com